INDEX

Page

ABBOTT, E. V., and SASS, JOHN E.: Pathological Histology of Sugarcane Affected with Chlorotic Streak ... 201-207
Abies—
balsamea needles, infection with *Rehmiellopsis balsameae* n. sp. ... 328-333
concolor needles, infection with *Rehmiellopsis balsameae* n. sp. ... 328-333
spp., inoculation with *Rehmiellopsis balsameae* n. sp., studies ... 329-332
tip blight—
causal fungus—
morphology ... 319-323
taxonomy ... 323-327
caused by new species of *Rehmiellopsis*. Alma M. Waterman ... 315-337
control ... 333-335
fungus—
cultural characteristics ... 328
pathogenicity ... 328-333
hosts and distribution ... 318-319
symptoms ... 316-318
Air temperature, effects on alfalfa seed production. C. O. Grandfield ... 123-132
ALEXANDER, L. J., and TUCKER, C. M.: Physiologic Specialization in the Tomato Wilt Fungus, *Fusarium oxysporum f. lycopersici* ... 303-313
Alfalfa—
flowers, percentage setting pods, factors affecting ... 126-130
plants—
organic reserves, manufacture and storage, factors affecting ... 130-131
response to soil moisture and organic reserves, experiments ... 127-131
seed—
number per pod, effects of air temperature and humidity ... 127
production, effects of—
organic reserves, air temperature, humidity, and soil moisture. C. O. Grandfield ... 123-132
root reserves and climatic changes on ... 124-130
Alkalinity of orange juice, effect of potash ... 159
Allyl isothiocyanates—
effects on—
clubroot disease in crucifers, discussion ... 74-75
Colletotrichum circinans spores at sublethal levels ... 67-68
germination and infectivity of clubroot organism, experiments ... 63-76
toxicity to *Plasmodiophora brassicae*, relation to spore concentration ... 72
Aluminum phosphate, effect on pine nursery seedlings, experiments ... 413, 414, 415
Ammonium—
effect upon toxicity of boric acid to millet and wheat, comparison ... 341-343
sulfate, effect on—
growth of *Azotobacter* in culture, experiments ... 227, 231
pine nursery seedlings, experiments ... 414, 416, 417, 419-422
Amylase content—
of dormant cereal seeds, discussion ... 195-197
total and free, of dormant cereals and related seeds. Jehiel Davidson ... 175-200
Apple scab fungus, pathogenicity, inheritance study ... 31-40
Ascorbic acid content—
inheritance in snap beans. B. L. Wade, P. H. Heinze, Margaret S. Kanapaux, and Charlotte F. Gaetjens ... 170-174
of orange juice, effect of potash ... 152-153

Page

Ascorbic acid content—Continued.
of snap beans—
determination, method ... 171
inheritance. B. L. Wade, P. H. Heinze, Margaret S. Kanapaux, and Charlotte F. Gaetjens ... 170-174
of Valencia oranges, determination method ... 148
Ash content of orange juice, effect of potash ... 159
Aspergillus sp., occurrence in soils infected with damping-off, tests ... 135, 136
AUTEN, JOHN T.: Response of Shortleaf and Pitch Pines to Soil Amendments and Fertilizers in Newly Established Nurseries in the Central States ... 405-426
Azotobacter—
chroococcum growth on mannitol agar at different pH levels ... 223-225
culture medium, hydrogen-ion concentration, influence upon growth, study ... 220-232
growth—
curves—
at different pH levels. P. L. Gainey and Eric Fowler ... 219-236
investigations, procedure ... 220-223
in culture, criteria ... 226-227
in liquid media at different pH levels, experiments ... 225-228

BAIN, HENRY F., and DEMAREE, J. B.: Red Stele Root Disease of the Strawberry Caused by *Phytophthora fragariae* ... 11-30
Barley seed, dormant—
amylase content, investigations ... 176-185, 191-198
diastatic power, factors affecting ... 177-178, 180-182, 184-185, 191-198, 195
Bean—
Blue Lake × U. S. No. 5 Refugee, progenies, ascorbic acid content, study ... 170-174
U. S. No. 5 Refugee × Blue Lake, progenies, ascorbic acid content, study ... 170-174
Beans—
snap—
ascorbic acid content, inheritance. B. L. Wade, P. H. Heinze, Margaret S. Kanapaux, and Charlotte F. Gaetjens ... 170-174
breeding for ascorbic acid content, transgressive segregation ... 173, 174
inheritance of ascorbic acid content. B. L. Wade, P. H. Heinze, Margaret S. Kanapaux, and Charlotte F. Gaetjens ... 170-174
string. *See* Beans, snap.
white pea—
leaf area—
and yield, effect of fertilizer ... 243-244, 247
relation to yield ... 244-245
planting date, effect on yield ... 243
pod set—
and yield, effect of climatic factors ... 239-241, 246-248
effect of environmental factors. J. F. Davis ... 237-249
effect of fertilizer ... 242
percentage, prediction from temperature ... 240-241
yield—
effect of environmental factors. J. F. Davis ... 237-249
relation to leaf area ... 244-245
Beta-phenethyl isothiocyanate, effects on—
clubroot disease in crucifers, discussion ... 74-75
germination and infectivity of clubroot organism, experiments ... 63-76
Bird's nest fungus sporophores, occurrence in soils favoring damping-off fungus ... 133-134

Page

BLAKE, M. A., MEADER, E. M., and DAVIDSON, O. W.: A Method for Determining the Relative Cold Hardiness of Dormant Peach Fruit Buds ... 283-302
Blue mold, resistance of tobacco to. E. E. Clayton ... 79-87
Boric acid, toxicity to foxtail millet and wheat, effects of different soil colloids. P. L. Gile ... 339-346
Bran, wheat, distribution of proteinases, and diastatic power ... 182-183
Brassica—
oleracea var. *capitata*. *See* Cabbage.
rapa. *See* Turnip.
Bread, loaf volume—
decrease during baking, correlations ... 196, 197
effect of papain, baking tests ... 186-187, 196
Broadleaf seedlings, damping-off, relation to macrofungi and micro-organisms of soils. Ernest Wright ... 133-141
BURTON, M. GWENDOLYN, MILLER, JULIAN H., and MANNING, TROY: A Statistical Study of the Relations between Flax Fiber Numbers and Diameters and Sizes of Stems ... 269-281

Cabbage—
aphid, transmission of turnip mosaic viruses ... 353
black ring virus—
properties, comparison with cabbage mosaic virus A ... 381, 399-401
symptoms and hosts ... 384-403
clubroot, resistance, relation to two mustard oils and their effects on *Plasmodiophora brassicae* ... 63-76
mosaic—
isolates, comparison with turnip mosaic ... 347, 360-362
virus A—
origin and properties ... 380-382
properties, comparison with B ... 382-383
symptoms and hosts ... 384-403
virus B—
properties, comparison with A ... 382-383
symptoms and hosts ... 384-403
viruses—
associated with. J. C. Walker, Francis J. Le Beau, and Glenn S. Pound ... 379-404
separation ... 380-382
symptoms and hosts ... 384-403
mustard-oil injury, description ... 69
plants—
infection with *Plasmodiophora brassicae*, method ... 64-65
survival at various concentrations of allyl isothiocyanate and *Plasmodiophora brassicae* spores ... 72-73
Cattle, feeding Napier grass, experiments ... 89-92
Cauliflower mosaic virus—
properties, comparison with cabbage mosaic virus B ... 382, 399
strains affecting cabbage ... 403-404
symptoms and hosts ... 384-403
Central States, soil amendments and fertilizers in newly established nurseries, response of shortleaf and pitch pines. John T. Auten ... 405-426
Cereal seeds, dormant—
amylase content, varietal differences ... 194, 195
diastatic power, studies ... 175-198
Cereals—
diastatic activity, effect of yeast ... 191-192
dormant, amylase content, total and free. Jehiel Davidson ... 175-200
Chilopsis linearis seedlings, damping-off, relation to macrofungi and micro-organisms in soils ... 133-140
Chlorotic streak, sugarcane affected with, pathological histology. E. V. Abbott and John E. Sass ... 201-207
Citric acid content of—
orange juice, effect of potash ... 154-159
Valencia oranges, determination method ... 149
Citrus sinensis. *See* Oranges.
CLAYTON, E. E.: Resistance of Tobacco to Blue Mold (*Peronospora tabacina*) ... 79-87

Page

Clubroot, resistance, relation to two mustard oils, and their effects on *Plasmodiophora brassicae*. W. J. Hooker, J. C. Walker, and Karl Paul Link ... 63-78
COCHRAN, GEORGE W., JOHNSTON, C. O., HEYNE, E. G., and HANSING, E. D.: Inheritance of Reaction to Smut, Stem Rust, and Crown Rust in Four Oat Crosses ... 43-61
Colchicine, ineffectiveness in obtaining resistance to tobacco blue mold ... 84
Cold hardiness, relative, of dormant peach fruit buds, determination method. E. M. Meader, O. W. Davidson, and M. A. Blake ... 283-302
Colletotrichum circinans germination, effects of allyl isothiocyanate at sublethal levels ... 67-68
Colloids, soil, effect on toxicity of boric acid to foxtail millet and wheat. P. L. Gile ... 339-346
Coprinus spp., sporophores, occurrence in soils favoring damping-off fungi ... 134
Corn—
plants, nutrient absorption, correlations, discussion ... 375-376
root system, efficiency, study ... 365-377
seed, dormant, amylase content, investigations ... 176-177, 179, 195
See also Maize.
Cowpeas, seed, dormant, amylase content, investigations ... 176-177, 179, 183
Cruciferae—
clubroot, effects of mustard oils on, experiments ... 63-76
disease symptoms produced by—
cabbage—
black ring virus ... 385-393, 399-401
mosaic virus A ... 385-392, 397-398
mosaic virus B ... 385-392, 399
cauliflower mosaic virus ... 385-394, 399
host range of—
cabbage—
black ring virus ... 384-392
mosaic virus A ... 384-397
mosaic virus B ... 384-394
cauliflower mosaic virus ... 384-392
mosaic viruses—
infection of turnip ... 347, 362
properties and host range, comparison with turnip isolates ... 361-362
susceptibility to turnip mosaic virus isolates, studies ... 347-363
Cyathus vernicosus sporophores, occurrence in soils favoring damping-off fungi ... 133-134
Cysteine hydrochloride, effect on development of diastatic power in flour ... 187-188

Damping-off of broadleaf seedlings, relation to macrofungi and micro-organisms in soils. Ernest Wright ... 133-141
DAVIDSON, JEHIEL: Total and Free Amylase Content of Dormant Cereals and Related Seeds ... 175-200
DAVIDSON, O. W., MEADER, E. M., and BLAKE, M. A.: A Method for Determining the Relative Cold Hardiness of Dormant Peach Fruit Buds ... 283-302
DAVIS, J. F.: The Effect of Some Environmental Factors on the Set of Pods and Yield of White Pea Beans ... 237-249
DEMAREE, J. B., and BAIN, HENRY F.: Red Stele Root Disease of the Strawberry Caused by *Phytophthora fragariae* ... 11-30
Desertwillow seedlings, damping-off, relation to macrofungi and micro-organisms in soils ... 133-140
Diastatic—
activity of cereals, effect of yeast ... 191-192
power—
distribution in wheat germ, bran, and flour ... 182-183
free, of malts, comparison with dormant cereal grains ... 192-193
of dormant seeds, factors affecting ... 177-185, 192-193, 195
of flour, factors affecting ... 181-183, 184, 185-186, 187-192
of malts, effect of papain ... 193-195
total, of dormant cereal grains, investigations ... 192-193

Page

Digestible nutrient content and composition of Napier grass leaves. R. W. Kidder... 89-93
Dominance, partial, in strawberry hybrids, meaning of term... 107
DOMINGO, WAYNE E.: Inheritance of Number of Seeds per Pod and Leaflet Shape in the Soybean... 251-268
Dracculacephala portola, transmission of chlorotic streak of sugarcane... 201
Durra × kafir male-sterile lines, crosses between, segregation... 214

Elm—
American, seedlings, damping-off, relation to macrofungi and micro-organisms in soils... 133-140
Siberian, seedlings, damping-off, relation to macrofungi and micro-organisms in soils... 133-140
EMIK, L. OTIS, TERRILL, CLAIR E., POHLE, ELROY M., and HAZEL, LANOY N.: Estimation of Clean-Fleece Weight from Grease-Fleece Weight and Staple Length... 1-10
Environment, effect on set of pods and yield of white pea beans. J. F. Davis... 237-249

Feeding, cattle, on Napier grass, experiments... 89-92
Fertilizers—
basic, changes, effect on toxicity of boric acid to millet and wheat... 341-343
effect on—
leaf area and yield of white pea beans... 243-244, 247
set of pods of white pea beans... 242
in newly established nurseries in Central States, response of shortleaf and pitch pines. John T. Auten... 405-426
potash—
applications to Valencia oranges... 146-147
effect on—
composition of Valencia orange juice, experiments... 143-167
quality of Valencia oranges, experimental design and results... 145-165
Fir—
balsam, needle infection with *Rehmiellopsis balsameae* n. sp... 328-333
white, needle infection with *Rehmiellopsis balsameae* n. sp... 328-333
Flax—
Cirrus, fibers, number per square millimeter in median sections, comparison with Triumph... 278-280
fiber—
bundles, number per median, relation to stem diameter, studies... 274-275
diameter, relation to size of stem, studies... 278
measurements, statistical study... 269-281
numbers—
per bundle in median section, relation to stem diameter... 275-276
per median section, relation to stem diameter... 271-274
per square millimeter in median section, relation to stem area... 276-277
per square millimeter in median sections, comparison of Cirrus and Triumph... 278-280
relation to stem diameters and sizes, statistical study. Julian H. Miller, M. Gwendolyn Burton, and Troy Manning... 269-281
stems—
diameter, relation to fiber numbers, statistical study. Julian H. Miller, M. Gwendolyn Burton, and Troy Manning... 269-281
sizes, relation to fiber numbers, statistical study. Julian H. Miller, M. Gwendolyn Burton, and Troy Manning... 269-281
Triumph, fibers, number per square millimeter in median sections, comparison with Cirrus... 278-280

Page

Fleece—
clean, weight—
estimation by use of nomograph... 7-10
estimation from grease-fleece weight and staple length. Clair E. Terrill, Elroy M. Pohle, L. Otis Emik, and Lanoy N. Hazel... 1-10
grease, weight, estimation of clean-fleece weight from. Clair E. Terrill, Elroy M. Pohle, L. Otis Emik, and Lanoy N. Hazel... 1-10
Flour—
amylase content, investigations... 176-177, 181-183, 185-191, 196-197
diastatic—
activity, effect of yeast... 191-192
power, factors affecting... 181-183, 184, 185-186, 187-192
wheat, distribution of proteinases and diastatic power... 182-183
Forest nurseries in Central States, fertilizer experiments... 405-425
FOWLER, ERIC, and GAINEY, P. L.: Growth Curves of *Azotobacter* at Different pH Levels. 219-236
Fragaria—
ananassa × *F. ovalis*—
breeding studies. LeRoy Powers... 95-122
characters—
desired, frequency of recombination... 113-117
dominance and heterosis... 107-109
frequency of occurrence... 110-113
field studies... 106-107
germination studies... 101-106
promising selections... 118
ovalis × *F. ananassa*, breeding studies. LeRoy Powers... 95-122
varieties and species, susceptibility to *Phytophthora fragariae*, tests... 27
See also Strawberries.
Fusarium—
occurrence in soils favoring damping-off fungi... 135
oxysporum f. lycopersici—
individual cultures, pathogenicity tests... 306-311
Ohio and Missouri races, pathogenicity to tomatoes... 303-306, 311-313
strains, pathogenicity differences, discussion... 311-312
tomato wilt fungus, physiologic specialization. L. J. Alexander and C. M. Tucker... 303-313
spp., occurrence in soils infected with damping-off, tests... 135

GAETJENS, CHARLOTTE F., WADE, B. L., HEINZE, P. H., and KANAPAUX, MARGARET S.: Inheritance of Ascorbic Acid Content in Snap Beans... 170-174
GAINEY, P. L., and FOWLER, ERIC: Growth Curves of *Azotobacter* at Different pH Levels... 219-236
GILE, P. L.: Effect of Different Soil Colloids on the Toxicity of Boric Acid to Foxtail Millet and Wheat... 336-346
Grains, cereal, dormant, total diastatic power, investigations... 192-193
GRANDFIELD, C. O.: Alfalfa Seed Production as Affected by Organic Reserves, Air Temperature, Humidity, and Soil Moisture... 123-132
Grazing, cattle, on Napier grass, experiments... 89-92

HANSING, E. D., COCHRAN, GEORGE W., JOHNSTON, C. O., and HEYNE, E. G.: Inheritance of Reaction to Smut, Stem Rust, and Crown Rust in Four Oat Crosses... 43-61
Hardiness to cold in dormant peach fruit buds, determination methods. E. M. Meader, O. W. Davidson, and M. A. Blake... 283-302
HAZEL, LANOY N., TERRILL, CLAIR E., POHLE, ELROY M., and EMIK, L. OTIS: Estimation of Clean-Fleece Weight from Grease-Fleece Weight and Staple Length. 1-10
HEINZE, P. H., WADE, B. L., KANAPAUX, MARGARET S., and GAETJENS, CHARLOTTE F.: Inheritance of Ascorbic Acid Content in Snap Beans... 170-174

Page

HEYNE, E. G., COCHRAN, GEORGE W., JOHNSTON, C. O., and HANSING, E. D.: Inheritance of Reaction to Smut, Stem Rust, and Crown Rust in Four Oat Crosses 43-61

HOOKER, W. J., WALKER, J. C., and LINK, KARL PAUL: Effects of Two Mustard Oils on *Plasmodiophora brassicae* and Their Relation to Resistance to Clubroot 63-78

Humidity—
effect on—
alfalfa seed production. C. O. Grandfield 123-132
set of pods of white pea beans, experiments 239-241, 246

Hydrogen-ion—
concentration levels, *Azotobacter* growth curves. P. L. Gainey and Eric Fowler 219-236
values of orange juice, effect of potash 154-159, 166

Inheritance—
ascorbic acid content in snap beans. B. L. Wade, P. H. Heinze, Margaret S. Kanapaux, and Charlotte F. Gaetjens. 170-174
mutant characters in *Venturia inaequalis*. J. R. Shay and G. W. Keitt 31-41
number of seeds per pod and leaflet shape in soybean. Wayne E. Domingo 251-268
reaction to smut, stem rust, and crown rust in four oat crosses. George W. Cochran, C. O. Johnston, E. G. Heyne, and E. D. Hansing 43-61
single-factor, in sorghum crosses 215

Iron phosphate, effect on pine nursery seedlings, experiments 413, 414, 416

Irrigation, alfalfa plants, effect on seed production 130, 131

JOHNSTON, C. O., COCHRAN, GEORGE W., HEYNE, E. G., and HANSING, E. D.: Inheritance of Reaction to Smut, Stem Rust, and Crown Rust in Four Oat Crosses 43-61

Kafir × durra male-sterile lines, crosses between, segregation 214

KANAPAUX, MARGARET S., WADE, B. L., HEINZE, P. H., and GAETJENS, CHARLOTTE F.: Inheritance of Ascorbic Acid Content in Snap Beans 170-174

KEITT, G. W., and SHAY, J. R.: The Inheritance of Certain Mutant Characters in *Venturia inaequalis* 31-41

KIDDER, R. W.: Composition and Digestible Nutrient Content of Napier Grass Leaves 89-93

Lactic acid, effect on liberation of diastatic power in cereal seeds 180-181
Leafhopper, transmission of chlorotic streak of sugarcane 201
LEBEAU, FRANCIS J., and WALKER, J. C.: Turnip Mosaic Viruses 347-364
WALKER, J. C., and POUND, GLENN S.: Viruses Associated with Cabbage Mosaic 379-404
Lime, effect on pine nursery seedlings, experiments 410, 414-416
Limestone, ground, effect on pine nursery seedlings, experiment 414, 416
LINK, KARL PAUL, HOOKER, W. J. and WALKER, J. C.: Effects of Two Mustard Oils on *Plasmodiophora brassicae* and Their Relation to Resistance to Clubroot 63-78
Linkage—
in sorghum, Ms_2AV_{10} group. J. C. Stephens and J. R. Quinby 209-218
in soybean, leaflet-shape and other qualitative characters 263-266
in *Venturia inaequalis* relationships 36-38, 39
Locust, shipmast, seedlings, damping-off, relation to macrofungi and micro-organisms in soils 133-140
Lycopersicon spp. *See* Tomato.

Page

Macrofungi of soils, relation to damping-off of broadleaf seedlings. Ernest Wright 133-141
Maize—
hybrid, top-root ratios, effects of phosphorus, nitrogen, and soil moisture. D. Boyd Shank 365-377
inbred, top-root ratios, effects of phosphorus, nitrogen, and soil moisture. D. Boyd Shank 365-377
top-root ratios—
analysis of variance 367, 369, 370, 372, 373, 374
calculated from dry weights 367, 369, 370, 372, 373, 374
correlations, discussion 375-376
mean differences between hybrids and high-ratio parents and hybrids and low-ratio parents 368, 369, 371, 372, 373, 374
study—
experimental results 366-375
materials and methods 365-366
See also Corn.

Malts, diastatic power—
effect of papain 193-195
free, comparison with dormant cereal grains 192-193

MANNING, TROY, MILLER, JULIAN H., and BURTON, M. GWENDOLYN: A Statistical Study of the Relations between Flax Fiber Numbers and Diameters and Sizes of Stems 269-281

MEADER, E. M., DAVIDSON, O. W., and BLAKE, M. A.: A Method for Determining the Relative Cold Hardiness of Dormant Peach Fruit Buds 283-302

Medicago sativa. *See* Alfalfa.
Michigan, white pea beans, set of pods, and yield, effect of environmental factors 237-249
Micro-organisms—
effect on development of diastatic power in dormant seeds and flour 181-182
soil—
relation to damping-off of broadleaf seedlings. Ernest Wright 133-141
study by—
dilution-plate method 134-135
modified Cholodny technique 135-136, 137

MILLER, JULIAN H., BURTON, M. GWENDOLYN, and MANNING, TROY: A Statistical Study of the Relations between Flax Fiber Numbers and Diameters and Sizes of Stems 269-281

Millet, foxtail, toxicity of boric acid, effects of different soil colloids on. P. L. Gile 339-346
Moisture, soil. *See* Soil moisture.
Mosaic. *See* Cabbage mosaic; Turnip mosaic.
Mustard oils, effects on—
club size of cabbage roots, experiments 73-74
Plasmodiophora brassicae and their relation to resistance to clubroot. W. J. Hooker, J. C. Walker, and Karl Paul Link 63-78
Mutant characters, inheritance in *Venturia inaequalis*. J. R. Shay and G. W. Keitt 31-41

Napier grass—
digestibility studies 89-92
leaves, composition and digestible nutrient content. R. W. Kidder 89-93
Naucoria semiorbicularis sporophores, occurrence in soils favoring damping-off fungi 134, 140
Nicotiana—
plants, age, relation to susceptibility to blue mold disease, data 79, 81-84, 85-86
spp., resistance to blue mold disease, comparison 80-84
tabacum—
crosses with resistant species, possibilities for blue mold resistance 84-86
types, resistance to blue mold disease, experimental results 80
See also Tobacco.

Page

Nitrogen—
concentration, influence on inbred and hybrid top-root ratios in maize, tests.... 370–371
effect on—
pine nursery seedlings, experiments.... 409–410, 413–415, 419–424
top-root ratios of inbred and hybrid maize. D. Boyd Shank.... 365–377
toxicity of boric acid to millet, experiments.... 341, 342, 343
fixed, effect on growth of *Azotobacter* in culture, experiments.... 223–225
Nurseries, newly established in Central States, response of shortleaf and pitch pines to soil amendments and fertilizers in. John T. Auten.... 405–426

Oat—
crosses—
reaction to—
crown rust, inheritance.... 52–59
smut, stem rust, and crown rust, inheritance. George W. Cochran, C. O. Johnston, E. G. Heyne, and E. D. Hansing.... 43–61
smuts, inheritance study.... 45–47
stem rust, inheritance study.... 47–52
relation of crown rust, stem rust, and smut reaction, investigations.... 59–60
crown rust, inheritance of reaction to, in four oat crosses. George W. Cochran, C. O. Johnston, E. G. Heyne, and E. D. Hansing.... 43–61
seed, dormant—
amylase content, investigations.... 176–177, 179, 184–185
diastatic power, factors affecting.... 179, 184–185, 193–194, 195
smut, inheritance of reaction to, in four oat crosses. George W. Cochran, C. O. Johnston, E. G. Heyne, and E. D. Hansing.... 43–61
stem rust, inheritance of reaction to, in four oat crosses. George W. Cochran, C. O. Johnston, E. G. Heyne, and E. D. Hansing.... 43–61
Oils, mustard. *See* Mustard oils.
Orange, Valencia—
juice—
alkalinity, effect of potash.... 159
ascorbic acid content—
determination method.... 148
effect of potash.... 152–153
ash content—
and its alkalinity, determination method.... 149
effect of potash.... 159
buffer activities and values, effect of potash.... 156–159
citric acid content—
determination method.... 149
effect of potash.... 154–159
composition, effect of potassium deficiency and of potassium derived from different sources. Wallace R. Roy.... 143–169
content—
investigation by obtaining buffer curves and indices.... 149
statistical analysis, method.... 149–150
hydrogen-ion values, effect of potash. 154–159, 166
potassium content—
determination method.... 149
effect of potassium fertilizer applications.... 160–161
sugar content—
determination method.... 148
influence of potash, data.... 150–152, 161–165
maturation period, relation to potash application.... 153–165
potash requirements for high quality.... 166
trees, fertilizing with potash, effect on composition of juice, experiments.... 143–167
Organic reserves, effects on alfalfa seed production. C. O. Grandfield.... 123–132

Papain, effect on—
development of diastatic power in flour.... 185–186
diastatic power of malts.... 193–195
loaf volume of baked bread.... 186–187, 197
Pasture, Napier grass, value for cattle, digestibility trials.... 89–92
Peach—
aphid, green, transmission of turnip mosaic viruses.... 353
fruit buds—
cold resistance, evaluation—
apparatus, description.... 285–288
method, choice.... 285
method, description.... 288–295
method, discussion and conclusions.... 295–300
dormant, cold hardiness, relative, determination method. E. M. Meader, O. W. Davidson, and M. A. Blake.... 283–302
freezing for winter hardiness, determinations.... 285–300
varieties, fruit buds, cold-hardiness determinations.... 285–300
Peat, effect on pine nursery seedlings, experiments.... 408–421, 423–424
Pennisetum purpureum. *See* Napier grass.
Peronospora tabacina—
cause of blue mold disease of tobacco.... 79
resistance of tobacco to. E. E. Clayton.... 79–87
Phaseolus vulgaris. *See* Beans.
Phosphate, effect on toxicity of boric acid to wheat, experiments.... 341–343
Phosphoric acid, liquid, effect on pine nursery seedlings, experiments.... 409, 413–416, 419–421
Phosphorus—
concentration, influence on inbred and hybrid top-root ratios in maize, tests.... 366–369
effect on—
pine nursery seedlings, experiments.... 409–410, 412–416, 419–423
top-root ratios of inbred and hybrid maize. D. Boyd Shank.... 365–377
Physiologic specialization in tomato wilt fungus, *Fusarium oxysporum* f. *lycopersici.* L. J. Alexander and C. M. Tucker.... 303–313
Phytophthora—
fragariae—
cause of red stele root disease of strawberry. Henry F. Bain and J. B. Demaree.... 11–30
characters—
cultural.... 15–18
morphological and physiological.... 18–24
control.... 27–29
damage to strawberry roots.... 12–13, 15
host range, experiments.... 26–27
pathogenicity to cultivated strawberry, experiments.... 24–26
plants resistant to, list.... 26, 27
sexual stage, description.... 20–24
sporangia, description.... 18–20
zoospores, description.... 20
See also Strawberry, red stele root disease.
spp., pathogenicity to strawberry roots, experiments.... 27
Pine seedlings, growing in nursery plots, fertilizer experiments.... 405–425
Pines—
pitch, response to soil amendments and fertilizers in newly established nurseries in Central States. John T. Auten.... 405–426
shortleaf, response to soil amendments and fertilizers in newly established nurseries in Central States. John T. Auten.... 405–426
Plants—
cruciferous, susceptibility to turnip mosaic viruses, studies.... 347–363
noncruciferous—
susceptibility to turnip mosaic viruses, studies.... 347–363
symptoms produced by cabbage—
black ring virus.... 393–397, 401–403
mosaic virus A.... 393–397, 401–403
Plasmodiophora brassicae—
cause of clubroot of cabbage.... 63
effects of—
mustard-oil injury.... 69
two mustard oils on, and their relation to resistance to clubroot. W. J. Hooker, J. C. Walker, and Karl Paul Link.... 63–78
germination, effects of mustard oils, experiments.... 65–67

Page

Plasmodiophora brassicae—Continued.
resistance, effects of mustard oils on, experiments 63–76
spores—
concentration, relation to toxicity of allyl isothiocyanate 72
preparation for germination 63–64
used as inoculum in toxicity of mustard oil, tests 69–72
POEHLE, ELROY M., TERRILL, CLAIR E., EMIK, L. OTIS, and HAZEL, LANOY N.: Estimation of Clean-Fleece Weight from Grease-Fleece Weight and Staple Length 1–10
Potash—
magnesia, sulfate of, effect on composition of Valencia orange juice 143–167
muriate of, effect on composition of Valencia orange juice 143–167
source, effect upon content of orange juice, importance 165
sulfate of, effect on composition of Valencia orange juice 143–167
Potassium—
content of orange juice—
determination method 149
effect of potassium fertilizer applications 160–161
deficiency, effect on composition of juice of Valencia oranges. Wallace R. Roy 143–169
effect on pine nursery seedlings, experiments 409–411, 413–416, 419–424
iodate, effect on diastatic power of flour 188–189, 196
sulfate, effect on pine nursery seedlings, experiments 409, 414–416, 420, 421
POUND, GLENN S., WALKER, J. C., and LEBEAU, FRANCIS J.: Viruses Associated with Cabbage Mosaic 379–404
POWERS, LEROY: Strawberry Breeding Studies Involving Crosses between the Cultivated Varieties (× *Fragaria ananassa*) and the Native Rocky Mountain Strawberry (*F. ovalis*) 95–122
Proteinase—
activity—
and strength in cereal seeds, discussion 196–197
in dormant seeds 179–180, 182, 186, 187, 190, 191, 196
content of dormant seeds, relative 183–184
distribution in wheat germ, bran, and flour 182–183
Puccinia—
coronata—
cause of crown rust of oats 43
avenae, reaction of in oat crosses 52–59
graminis avenae—
cause of stem rust of oats 43
reaction of oat crosses to, genetic studies 47–52
Pythium—
occurrence in soils favoring damping-off fungi 135
ultimum, cause of damping-off of broadleaf seedlings 134

QUINBY, J. R., and STEPHENS, J. C.: The Ms_2 and AV_{10} Linkage Group in Sorghum 209–218

Red stele root disease of strawberry—
caused by *Phytophthora fragariae*. Henry F. Bain and J. B. Demaree 11–30
See also Strawberries, red stele root disease.
Rehmiellopsis—
abietis, emended description and habitat 327
balsameae n. sp.—
cultural characteristics 328
effect on *Abies* spp., experiments 329–332
pathogenicity, studies 328–333
technical description, habitat, and hosts 327–328
new species of, cause of tip blight of *Abies* spp. Alma M. Waterman 315–337
Rhizoctonia—
occurrence in soils favoring damping-off fungi 135
solani, cause of damping-off of broadleaf seedlings 134

Page

Rice seed, dormant, amylase content, investigations 176–177, 179, 195
Robinia pseudoacacia seedlings, damping-off, relation to macrofungi and micro-organisms in soils 133–140
Rock phosphate, effect on pine nursery seedlings, experiments 413–416, 419–423, 425

Root system, corn, efficiency, study 365–377
ROY, WALLACE R.: Effect of Potassium Deficiency and of Potassium Derived from Different Sources on the Composition of the Juice of Valencia Oranges 143–169
Rust—
crown—
inheritance of reaction to in four oat crosses. George W. Cochran, C. O. Johnston, E. G. Heyne, and E. D. Hansing 43–61
reaction to in oat crosses, inheritance 52–59
stem—
inheritance of reaction to in four oat crosses. George W. Cochran, C. O. Johnston, E. G. Heyne, and E. D. Hansing 43–61
reaction to in oat crosses, inheritance 47–52
Rye seed, dormant—
amylase content, investigations 176–185, 191–198
diastatic power, factors affecting 177–178, 180–182, 184–185, 191–193, 195

SASS, JOHN E., and ABBOTT, E. V.: Pathological Histology of Sugarcane Affected with Chlorotic Streak 201–207
Seedlings. *See* under specific kinds.
Seeds, dormant—
amylase content—
study methods 176–177, 195–197
total and free. Jehiel Davidson 175–200
diastatic power, studies 175–198
proteinase content, relative 183–184
Setaria italica. *See* Millet, foxtail.
SHANK, D. BOYD: Effects of Phosphorus, Nitrogen, and Soil Moisture on Top-Root Ratios of Inbred and Hybrid Maize 365–377
SHAY, J. R., and KEITT, G. W.: The Inheritance of Certain Mutant Characters in *Venturia inaequalis* 31–41
Sheep breeds, development for fleece improvement, studies 2–9
Smut, inheritance of reaction to in four oat crosses. George W. Cochran, C. O. Johnston, E. G. Heyne, and E. D. Hansing 43–61
Sodium chloride, effect on development of diastatic power—
in cereals 184–185
in flour 189–190
Soil—
amendments in newly established nurseries in Central States, response of shortleaf and pitch pines. John T. Auten 405–426
colloids, effect on toxicity of boric acid to foxtail millet and wheat. P. L. Gile 339–346
macrofungi, relation to damping-off of broadleaf seedlings. Ernest Wright 133–141
maintenance in pine nurseries in Central States 405–425
micro-organisms, relation to damping-off of broadleaf seedlings. Ernest Wright 133–141
microbial population, study by—
dilution-plate methods 134–135
modified Cholodny technique 135–136, 137
moisture, effects on—
alfalfa seed production. C. O. Grandfield 123–132
inbred and hybrid top-root ratios in maize, tests 371–375
set of pods of white pea beans 242, 248
top-root ratios of inbred and hybrid maize. D. Boyd Shank 365–377
Sorghum—
crosses—
linkage of factors 215–217
male sterility, linkage with other factors 216–217
single-factor inheritance 215

Page

Sorghum—Continued.
- Ms_2AV_{10} linkage group. J. C. Stephens and J. R. Quinby ... 209–218
- plants, male-sterile—
  - anthers and panicles, description ... 210–212
  - awns, description ... 212
  - characters, description ... 210–214
  - crosses, segregation ... 214
  - single-factor inheritance ... 215
  - virescence, expression ... 212–214
- seed, dormant, amylase content, investigations ... 176–177

Soybean—
- cotyledon color, linkage relationship ... 265
- crosses, leaflet-shape indices, relationships ... 262
- flower color, linkage relationships ... 263–264
- intermediate ×—
  - high seed-per-pod values, inheritance studies ... 255–256
  - intermediate seed-per-pod values, inheritance studies ... 256–258
  - low seed-per-pod values, inheritance studies ... 254–255
- leaflet shape—
  - inheritance. Wayne E. Domingo ... 251–268
  - linkage relationships ... 263–266
- low × high seed-per-pod values, inheritance studies ... 258
- meal fertilizer, effect on pine nursery seedlings, experiments ... 410, 412–416, 417, 419–421, 424
- narrow × oval leaflet shape, inheritance ... 261–262
- normal ×—
  - narrow leaflet shape, inheritance ... 259–261
  - normal leaflet shape, inheritance ... 258, 259
  - oval leaflet shape, inheritance ... 261
- seed—
  - coat color, linkage relationships ... 264–265
  - dormant, amylase content, investigations ... 176–177, 179, 183, 195–196
  - number per pod, inheritance. Wayne E. Domingo ... 251–268

Staple length, estimation of clean-fleece weight from. Clair E. Terrill, Elroy M. Pohle, L. Otis Emik, and Lanoy N. Hazel ... 1–10

Steers, feeding on Napier grass, digestibility studies ... 89–92

Stem rust. *See* Oat stem rust.

STEPHENS, J. C., and QUINBY, J. R.: The Ms_2 and AV_{10} Linkage Group in Sorghum ... 209–218

Strawberries—
- breeding—
  - for size and winter hardiness—
    - biological characters ... 100–101
    - design ... 98–100
    - genetic material ... 97–98
    - methods, evaluation ... 119–120
    - study ... 95–122
  - studies involving crosses between cultivated varieties and native Rocky Mountain strawberry. LeRoy Powers ... 95–122
- hot-water treatment for control of red stele root disease ... 28
- hybrids—
  - characters, desired, frequency of recombination ... 113–117
  - partial dominance, meaning of term ... 107
- inoculation with *Phytophthora fragariae*, experiments ... 24–27
- native Rocky Mountain crosses with cultivated varieties, breeding studies. LeRoy Powers ... 95–122
- red stele root disease—
  - caused by *Phytophthora fragariae*. Henry F. Bain and J. B. Demaree ... 11–30
  - control ... 27–29
  - diagnosis ... 15
  - nature of ... 11–12
  - pathogen, description ... 15–24
  - symptoms ... 12–15
  - synonyms and distribution ... 11
  - See also *Phytophthora fragariae*.
- roots, pathogenicity of *Phytophthora* spp. to, inoculation experiments ... 27
- seed, germination studies ... 101–106
- varieties, susceptibility to red stele root disease ... 27
- winter hardiness, breeding for, experiments ... 95–122
- See also *Fragaria*.

Page

Sugar—
- content of—
  - orange juice, effect of potash ... 150–152, 161–165
  - Valencia oranges, determination method ... 148
- reducing, ratio to nonreducing in orange juice, effect of potassium fertilizers ... 161–165

Sugarcane—
- affected with chlorotic streak, pathological histology. E. V. Abbott and John E. Sass ... 201–207
- bud affected with chlorotic streak, histology ... 202–203
- chlorotic streak—
  - histological studies ... 202–206
  - symptoms and nature ... 201
- leaf affected with chlorotic streak, histology ... 203–204
- stem affected with chlorotic streak, histology ... 204–206

Sulfate, effect on toxicity of boric acid to millet, experiments ... 341–343

Sunflowers, dwarf, in quartz sand, effect of boric acid, experiments ... 340–341

Superphosphate, treble, effect on pine nursery seedlings, experiments ... 410, 411, 413–416, 419–421, 424–425

Temperature—
- air, effects on alfalfa seed production. C. O. Grandfield ... 123–132
- effect on set of pods of white pea beans ... 239–241, 246–248
- fall, rate, automatic control, principle ... 288–289

TERRILL, CLAIR E., POHLE, ELROY M., EMIK L. OTIS, and HAZEL, LANOY N.: Estimation of Clean-Fleece Weight from Grease-Fleece Weight and Staple Length ... 1–10

Tip blight. See *Abies*, tip blight.

Tobacco—
- blue mold, resistance. E. E. Clayton ... 79–87
- resistance to blue mold, *Peronospora tabacina*. E. E. Clayton ... 79–87
- See also *Nicotiana*.

Toluene, effect on development of diastatic power in dormant seeds and flour ... 181–182

Tomato—
- crosses, susceptibility to *Fusarium oxysporum f. lycopersici*, tests ... 305
- plants, resistance to wilt, test methods, description ... 303–305
- resistance and susceptibility to *Fusarium oxysporum*, Ohio and Missouri races ... 303–306, 311–313
- wilt fungus, *Fusarium oxysporum* f. *lycopersici*, physiologic specialization. L. J. Alexander and C. M. Tucker ... 303–313

Trichoderma lignorum, occurrence in soils infected with damping-off, tests ... 135

Triticum aestivum. *See* Wheat.

TUCKER, C. M., and ALEXANDER, L. J.: Physiologic Specialization in the Tomato Wilt Fungus, *Fusarium oxysporum* f. *lycopersici* ... 303–313

Turnip mosaic—
- symptoms—
  - expression, relation to temperature ... 352
  - in field ... 348–349
  - in greenhouse ... 349–351, 354–357
- viruses—
  - Francis J. LeBeau and J. C. Walker ... 347–394
  - host range, comparison ... 353, 358–359
  - insect transmission ... 353
  - isolates, properties and host range, comparison with viruses from other crucifers ... 361–362
  - physical properties, comparison ... 352–353

Turnips—
- susceptibility to mosaic virus isolates, studies ... 347–353
- virus strains affecting cabbage ... 403, 404

Ulmus—
- *americana* seedlings, damping-off, relation to macrofungi and micro-organisms in soils ... 133–140
- *pumila* seedlings, damping-off, relation to macrofungi and micro-organisms in soils ... 133–140

Page

Ustilago—
avenae, cause of loose smut of oats 43
levis, cause of covered smut of oats 43

Venturia inaequalis—
genes, location 36
inheritance of—
certain mutant characters. J. R. Shay and G. W. Keitt 31–41
sex reaction, study 33–35, 36–37
linkage relationships 36–38, 39
mutant—
characters, inheritance. J. R. Shay and G. W. Keitt 31–41
nonconidial, inheritance 33, 35, 36–37
pathogenicity expression, study 31–40
small × normal, inheritance 33–35, 38
tan and white, inheritance 33, 36–38, 39
white and small, pathogenicity, studies. 38, 39–40
Viruses—
associated with cabbage mosaic. J. C. Walker, Francis J. LeBeau, and Glenn S. Pound 379–404
turnip mosaic. Francis J. LeBeau and J. C. Walker 347–364
Vitamin C. *See* Ascorbic acid.

WADE, B. L., HAINZE, P. H., KANAPAUX, MARGARET S., and GAETJENS, CHARLOTTE F.: Inheritance of Ascorbic Acid Content in Snap Beans 170–174
WALKER, J. C.:
and LEBEAU, FRANCIS J.: Turnip Mosaic Viruses 347–364
HOOKER, W. J., and LINK, KARL PAUL: Effects of Two Mustard Oils on *Plasmodiophora brassicae* and Their Relation to Resistance to Clubroot 63–78

Page

WALKER, J. C.—Continued.
LEBEAU, FRANCIS J., and POUND, GLENN S.: Viruses Associated with Cabbage Mosaic 379–404
WATERMAN, ALMA M.: Tip Blight of Species of *Abies* Caused by a New Species of *Rehmiellopsis* 315–337
Weather, effect on set of pods and yield of white pea beans 239–241, 246–247
Wheat—
bran, distribution of proteinases and diastatic power 182–183
germ, distribution of proteinases and diastatic power 182–183
seed, dormant—
amylase content, investigations 176–185, 191–196
diastatic power, factors affecting 177–178, 180–183, 184–185, 191–193, 195
toxicity of boric acid, effects of different soil colloids on. P. L. Gile 339–346
Wilt fungus. *See* Tomato wilt fungus.
Winter hardiness of dormant peach fruit buds, determination method 283–300
Wool—
clean-fleece weight, estimation from grease-fleece weight and staple length 1–10
grease-fleece weight, estimation of clean-fleece weight from 1–10
staple length, estimation of clean-fleece weight from 1–10
WRIGHT, ERNEST: Relation of Macrofungi and Micro-Organisms of Soils to Damping-off of Broadleaf Seedlings 133–141

Yeast, effect on—
development of diastatic power in flour 190–191
diastatic activity of cereals 191–192

Page

9-404

5-337

6-247

2-183

2-183

-185,
-198
-178,
, 195

-346

-300

1-10

1-10

1-10

-141

-191
-192